


25X1A

3 December 1963


CY-#2 gmm



Dear John:

25X1A

Re: 


Enclosed is a copy of an in-house memo which covers our present status on . I thought it might be of interest as indicating that there are unresolved problems.

25X1A


25X1A

Since John C. over in Art's shop should also be interested, I am taking the liberty of sending him a copy of this letter and enclosure.

ELG:atr
Encl.


E. L. G.

cc: J.C., w/encl.



25X1A

Subject: Project []

The following is a summary of unresolved problems that we are cognizant of on "Project []"

25X1A

25X1C

1. Airborne Camera Spool - Subsequent to a visit to [] we were requested to furnish a price quotation for the manufacture of a 9 1/2 inch aluminum spool. On July 23, 1963, we received a quotation from the Government Sales Division quoting \$10.04 as a unit cost in lots of 100 spools. This information was forwarded to the Itek people.

Via telephone, I have been told that an order for 100 spools had been placed with Headquarters. However, to date, such order has not been verified.

In the meantime, we received an order for type 4401 film spooled on aluminum spools. "Customer furnished" spools were sent for these orders. These spools were literally junk, as received.

Bezek's people had to be persuaded before attempting to refurbish the spools. Even after refurbishing, Kodak Park has inserted a disclaimer inside the film box that quality of the film can not be assured due to the condition of the "customer spool".

25X1A

The above information has been verbally communicated to [] at Boston.

2. Approximately October 30, 1963, [] telephoned and indicated that processing service [] might be needed as early as December 1, 1963. Estimates of these requirements were stated in my Memo of October 30, 1963.

25X1A

25X1

While the footage of film involved in this program is rather small, the types of film and the processing requirements for each are rather unique.

- 2 -

Type 4401 is processed to a 1.0 gamma.
Type 8430 or 5427 is processed to various
gammas.
Type 5475 (Royal X-Pan) is processed in
DK-60.

3. In discussion with [redacted], the follow-
ing tentative plan has been suggested
for [redacted] processing.

25X1A

- A. Type 4401 Original
a. [redacted] in Type B chemistry
b. EH6A (chemistry unknown at the
moment).

- B. 5475 Royal X-Pan
a. EH6A in DK-60
b. B-5 processor

25X1A

- *C. Dupe Printing [redacted]

- D. Dupe Processing
a. Versamat in Type B chemistry.

[redacted] plans to contact the [redacted]
representative [redacted]. He will determine, if
possible, the need for doing "dupe work" [redacted].

25X1A

25X1

In addition to the above, [redacted]
have made a series of duplicate positives from an
original "hologram" film. These duplicates have been
sent to Boston for their evaluation and are described
in a separate letter.

25X1A

DHS:slc

D.H.S.